

VN	Ridge		LASSO		ALASSO ($\gamma = 0.5$)		ALASSO ($\gamma = 1$)	
	Coefficients	Standardized coefficients	Coefficients	Standardized coefficients	Coefficients	Standardized coefficients	Coefficients	Standardized coefficients
FW	0.608 ± 0.405	0.070	–	–	0.608 ± 0.405	–0.056	–	–0.0720
EL	-0.184 ± 0.116	–0.070	–	–	-0.184 ± 0.116	–	–	–
HL	0.455 ± 0.350	0.060	–	–	0.455 ± 0.350	–	–	–
CW	0.728 ± 0.245	0.138	0.276 ± 0.077	0.052	0.728 ± 0.245	0.064	0.276 ± 0.077	0.074
RH	0.119 ± 0.092	0.049	–	–	0.119 ± 0.092	–	–	–
WH	0.197 ± 0.106	0.083	0.127 ± 0.056	0.054	0.197 ± 0.106	0.085	0.127 ± 0.056	0.092
BH	-0.034 ± 0.096	–0.015	–	–	-0.034 ± 0.096	–	–	–
CD	0.663 ± 0.251	0.134	0.299 ± 0.59	0.060	0.663 ± 0.251	–	0.299 ± 0.59	–
CG	0.641 ± 0.094	0.340	0.936 ± 0.119	0.497	0.641 ± 0.094	0.579	0.936 ± 0.119	0.580
BL	0.548 ± 0.114	0.237	0.621 ± 0.079	0.269	0.548 ± 0.114	0.292	0.621 ± 0.079	0.299